



GMC Pusher 800

General

Yard number	BN002
Delivery date	On stock
Basic functions	Towing and mooring operations,
Classification	NBKB
Flag	Netherlands

Dimensions

Length o.a.	8.00 mtr
Beam (incl. Fenders)	3.15 mtr
Depth at sides	1.80 mtr
Draught aft	0.90 mtr

Tank capacities

Fuel oil	1.62 m³
----------	---------

Performances

Bollard pull ahead	1.8 ton(m)
Speed	8.9 knots

Propulsion system

Main engines	Doosan
Total power	180 bhp at 1800
Gearboxes/ratio	Dong-1700
Propeller	Kaplan fixed pitch, 1050 mm diam.
Engine control	Cables
Rudders	Single plate high performance
Steering gear	Powered-hydraulic 2x 50° + rudder indicator



Noordeinde 121
 3341 LW Hendrik Ido Ambacht
 T: 078-7440105
 E: info@groeneveldtmarinetrading.com
 KVK: 55578381
 BTW: NL8517.71.956.B01
 BIC: INGBNL2A
 IBAN: NL70INGB0006787499

Auxiliary Equipment

Battery set	2x 24V 200 Ah, change over facility
Alternator	2x 80A main engine driven
Alarm System	Engines, gearboxes + bilge alarm
Bilge/firefighting system	Electrical driven Azcue CA50/2A 9 m ³ /hr at 2.3 bar with connection to hydrants in engine room and on deck hand operated emergency bilge pump
Fuel oil system	Water separators, filters + SOS valve
Cooling system	Closed cooling system (cooling channels)
Fire extinguishers	2x 2kg CO ₂ and 2x 6 kg dry powder

Deck lay-out

Towing hook	Mampaey Disc type, 7 ton SWL
Side/astern fender	Rubber D-fender 125 x 125 mm
Push bow	Cylindrical rubber fender 380 mm

Accommodation

The wheelhouse is resiliently mounted to reduce noise levels. The wheelhouse and below deck are completely insulated and finished with durable modern linings and rubber/synthetic floor.

Nautical and communication equipment

Searchlight	Den Haan 250 W 24V
VHF radio telephone	Sailor RT2048, 25W
Navigation lights	Navigation lights incl. towing light
Floodlight	150 Watt on aft deck



Noordeinde 121
3341 LW Hendrik Ido Ambacht
T: 078-7440105
E: info@groeneveldtmarinetrading.com
KVK: 55578381
BTW: NL8517.71.956.B01
BIC: INGBNL2A
IBAN: NL70INGB0006787499

